Town of East Granby Bulk and Area Requirements

Residential and Agricultural Zones

Residential:

	R-40	R-30	R-20	
Minimum Lot Area (sq. ft)	40,000	30,000	30,000	
Minimum Buildable Land Area (sq. ft)	30,000	25,000	25,000	
Minimum Frontage (ft)	175	150	125	
Minimum Front Yard (ft)	50	50	50	
Minimum Side Yard (ft)	25	20	20	
Minimum Rear Yard (ft) (Primary Structure)	80*	50*	50*	
(Accessory Structure)	40	25	25	
Maximum Stories	2 1/2	2 1/2	2 1/2	
Maximum Height (feet)	35	35	35	
*Rear Yard may be reduced by 50%	%. See Secti	ion IV.A.8.c.		

PRD

Minimum Buildable Lot Area (sq. ft)	30,000
Maximum Densitywith public/community waterwith on-site well and septic	2.0 units per two buildable acres2.0 units per three buildable acres
Minimum Front Yard (parcel) Minimum Side/Rear Yard (parcel)	50 feet 25 feet
Maximum Stories Maximum Height (feet)	2 1/2 35

Living Area Requirements

Minimum Total Living Area 1,400 square feet

Agricultural

Minimum Frontage 175 feet

Minimum Lot Area 120,000 square feet

Minimum Front Yard 50 feet

A single family dwelling or other use allowed in a residential zone provided that:

- \bullet Such uses shall conform to the area, land, building and other standards applicable to an \circ R-40 Residential Zone, and
- No subdivision of land, as defined by statute, is involved

MFDR

Maximum Units per Buildable Acre Maximum Units per Building	One Parcel With Multi-Family Units 4.0 3.0 or 4.0 for a maximum o 60% of Units 1.0 or 2.0 for a minimum o 40% of Units	
Maximum Building Coverage	20% of buildable land	n/a
Maximum Lot Coverage	40% of buildable land	n/a
Minimum Parcel Frontage Minimum Lot Frontage Minimum Front Yard Setback	200 feet n/a 75 feet	200 feet 75 feet 50 feet on existing streets 30 feet on new streets
Minimum Landscaped Front Yard (parcel)	25 feet	25 feet
Minimum Side and Rear Yard (parcel)	50 feet	50 feet
Minimum Landscaped Buffer Strip (parcel)	25 feet	10 feet
Minimum Side and Rear yard (lots)	n/a	10 feet one side, 25 feet total 20 feet rear
Maximum Building Height		35 feet
Maximum Number of Stories	35 feet	2.5 stories
Minimum Living Area	2.5 stories	
• Efficiency	600 sq. ft.	850 sq. ft.
• 1 bedroom	700 sq. ft.	850 sq. ft
• 2 bedroom	850 sq. ft.	850 sq. ft
• 3 bedroom	1000 sq. ft.	1000 sq. ft
Minimum Building Separation Separating distance with * may be reduced by 5 feet only if applicant can demonstrate that an overall density of 4.0 Units per Buildable Acre can be achieved only with a reduced spacing.	40* feet between buildings of 3 or 4 Units 25* feet between buildings of I or 2 Units 32* feet between a 3 or 4 Unit building and a 1 or 2 Unit building	20 feet
Minimum Parcel Area Minimum Lot area Minimum buildable lot area	10 acres n/a	10 acres 6500 sq. ft. 5000 sq. ft.

Town of East Granby Height and Area Regulations

Professional Zone

Minimum Lot Area 15,000 square feet

Minimum Lot Width 100 feet Minimum Front Yard 50 feet

Minimum Side Yard 30 feet if adjacent to residential, otherwise 15 feet

Minimum Rear Yard 50 feet Maximum Lot Coverage 30%

Maximum Building Height 2 1/2 stories or 35 feet

Industrial Zone

Maximum Height 2 ½ stories Forty (40) feet or 3 stories for office buildings 35 feet served by public water and sewer

Minimum Frontage (feet) 100 height limitation, with approval of the

Minimum Lot Area (sq.ft.) 80,000 Commission, where served by public water and

Minimum Front Yard (feet) 50 where required for elevator, stairwell,

Minimum Side Yard (feet)

Minimum Roor Yord (feet)

30 ea.

environmental, health, safety, or process reasons.

Minimum Rear Yard (feet) 30 Maximum Lot Coverage 60%

Business Zone

Maximum Stories Maximum Height 2 1/2
Minimum Frontage (feet) Minimum 35 feet
Size Lot Area Minimum Front Yard 100 feet

Minimum Side Yard 15,000 square feet

50 feet

15 feet (Commission may waive this if abutting uses share a

common building wall and common parking).

Minimum Rear Yard Maximum Lot 40 feet when abutting a residential use.

Coverage 20

20 feet 60%